



VVX 500/501**VVX 600/601**

Note: For more information on your Polycom[®] VVX[®] 500 series and VVX 600 series business media phones, see user documentation, including Quick User Guides and User Guides, on your phone's Support page on Polycom Voice Support: <http://support.polycom.com/voice>.

Package Contents

VVX 500 or VVX 600
Series Phone



Optional Accessories



AC Power Cord and Adapter




VVX Camera


VVX Expansion Module
(paper display)VVX Expansion Module
(LCD color display)

For more information, contact your reseller.

Features





Connect Cables



Connect Stand*

Fully insert the stand into one of the slots on the back of the phone. The slot you choose determines the angle of the phone. For high-angle use, secure the handset with the reversible tab (see **Features**).




*For wallmount installation, an optional accessory is available. For more information, contact your reseller.

Connect Optional Headset


Your phone supports wired and wireless headsets, including electronic hookswitch (EHS) headsets. VVX 600/601 phones also support Bluetooth headsets.

For connection directions, refer to your headset documentation. Standard headsets typically use the RJ-9 or USB port, while EHS headsets use the RJ-9 and serial port. The ports are on the back of your phone, as shown in the diagram.



Connect Optional USB Devices

You can attach a USB headset, or a USB flash drive (to record calls, use the Digital Picture Frame feature, or to change the background picture on your phone). To learn more, see your phone's User Guide.



Copyright, Safety Notices

LIMITED WARRANTY. Polycym warrants to the end user ("Customer") that this product will be free from defects in workmanship and materials, under normal use and service, for one year from the date of purchase from Polycym or its authorized reseller. Polycym's sole obligation under this express warranty shall be, at Polycym's option and subject to the following conditions, to repair, replace, or partially replace an equivalent product or part to replace the defective item, or if neither of the two foregoing options are reasonably available, Polycym may, on its sole discretion, refund to Customer the purchase price paid for the defective product. All products that are replaced will become the property of Polycym. Replacement products or parts may be new or reconditioned. Polycym warrants any replaced or repaired product or part for ninety (90) days from shipment, or the remainder of the initial warranty period, whichever is longer. Products returned to Polycym must be sent prepaid and packaged appropriately for safe shipment, and it is recommended that they be insured or sent by a method that provides for tracking of the package. Responsibility for loss or damage does not transfer to Polycym until the product has been received by Polycym. The repaired or replaced item will be shipped to Customer, at Polycym's expense, not later than thirty (30) days after Polycym receives the defective product, and Polycym will retain risk of loss or damage until the item is delivered to Customer.

EXCLUSIONS. Polycym will not be liable under this limited warranty if its testing and examination disclose that the alleged defect or malfunction in the product does not exist or results from:

- Failure to follow Polycym's installation, operation, or maintenance instructions.
- Unauthorized product modification or alteration.
- Unauthorized use of common carrier communication services accessed through the product.
- Abuse, misuse, negligent acts or omissions of Customer and persons under Customer's control;
- Acts of third parties, acts of God, accident, fire, lightning, power surges or outages, or other hazards.

WARRANTY EXCLUSIVE. IF A POLYCYM PRODUCT DOES NOT OPERATE AS WARRANTED ABOVE, CUSTOMER'S SOLE REMEDY FOR BREACH OF THAT WARRANTY SHALL BE REPAIR, REPLACEMENT, OR REFUND OF THE PURCHASE PRICE PAID, AT POLYCYM'S OPTION. TO THE FULL EXTENT ALLOWED BY LAW, THE FOREGOING WARRANTIES AND REMEDIES ARE EXCLUSIVE AND ARE IN LIEU OF ALL OTHER WARRANTIES, TERMS, OR CONDITIONS, EXPRESS OR IMPLIED, EITHER IN FACT OR BY OPERATION OF LAW, STATUTORY OR OTHERWISE, INCLUDING ANY IMPLIED WARRANTIES, TERMS, OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, SATISFACTORY QUALITY, CORRESPONDENCE WITH DESCRIPTION, AND NON-INFRINGEMENT, ALL OF WHICH ARE EXPRESSLY DISCLAIMED. POLYCYM NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT ANY OTHER LIABILITY IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE OR USE OF ITS PRODUCTS.

SERVICE AGREEMENTS. Please contact your Polycym Authorized Reseller for information about service agreements applicable to your product.

SOFTWARE SUPPORT. Polycym will provide support for software running on the product for all of the following conditions to be satisfied:

- The product is under warranty or is covered by a Polycym service contract;

CE Mark R & T2 Directive (EU Only)

Polycym UK Ltd tímto potvrdňuje, že tento Polycym VVX 500/501/600/601 je v súlade so základnými požiadavkami a ďalšími podrobnými ustanoveniami smernice 1999/5/EC.

Undertegnede Polycym (UK) Ltd erklærer hermed, at følgende udstyr Polycym VVX 500/501/600/601 overholder de væsentlige krav og øvrige relevante krav i direktiv 1999/5/EF.

Hiermit erklärt Polycym (UK) Ltd, dass sich Gerät Polycym VVX 500/501/600/601 in Übereinstimmung mit den grundlegenden Anforderungen und den weiteren Bestimmungen der Richtlinie 1999/5/EG befindet.

Käseleevä kiinnitys Polycym (UK) Ltd sitoo Polycym VVX 500/501/600/601 vastavast direktiiv 1999/5/EY pohjoislaista ja muutamia direktiivissä lueteltavista teistele ajankohtaisista säteilystä.

Hereby, Polycym (UK) Ltd, declares that this VVX 500/501/600/601 is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

Por medio de la presente Polycym (UK) Ltd declara que el Polycym VVX 500/501/600/601 cumple con los requisitos esenciales y cualesquiera otras disposiciones aplicables o exigencias de la Directiva 1999/5/CE.

Polycym (UK) Ltd izjavlja, da ta Polycym VVX 500/501/600/601 izpolnjuje bistvene zahtevne in ostali relevantni dodatni zahtevni pogoji Direktive 1999/5/ES.

Polycym (UK) Ltd izjavlja, da je ta Polycym VVX 500/501/600/601 v skladu z bistvenimi zahtevami in ostalimi relevantnimi dodatnimi zahtevami Direktive 1999/5/ES.

Polycym (UK) Ltd izjavlja, da ta Polycym VVX 500/501/600/601 izpolnjuje bistvene zahtevne in ostali relevantni dodatni zahtevni pogoji Direktive 1999/5/ES.

As o Polycym (UK) Ltd declaró, ka Polycym VVX 500/501/600/601 atibilst Direktīvas 1999/5/EK būtiskajām prasībām un citām tai piemērtajām noteikumiem.

SAFETY AND REGULATORY INFORMATION. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interferences received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Hereby, Polycym, UK, declares that the products in this manual are CE marked and in compliance with all EU directives and regulations that apply to them including: R&T2 Directive 1999/5/EC. A full copy of the Declaration of Conformity can be obtained from Polycym Ltd, 270 Bath Road, Slough, Berkshire, SL1 4DX, UK.

Operating Ambient Conditions: Operating temperature: +32 to 104°F (0 to 40°C); Operating humidity: 5% to 95%, noncondensing; Storage temperature: -40 to +160°F (-40 to +70°C).

Installation must be performed in accordance with all relevant national wiring rules. L'installation doit être effectuée conformément à tous les règlements nationaux applicables au filage électrique. The outlet to which this apparatus is connected must be installed near the equipment and must always be readily accessible. La prise électrique à laquelle l'appareil est branché doit être facilement accessible. The equipment is designed to be used with shielded cables. When using Power over Ethernet (PoE), the equipment is to be connected only to PoE networks without connections to the outside plant.

Lorsque vous utilisez une alimentation électrique par câble ethernet (PoE - Power over Ethernet), l'équipement doit être connecté uniquement aux réseaux PoE sans connexions vers l'extérieur de l'usine.

This Class [B] digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe [B] sera conforme à la norme NMB-003 du Canada.

To avoid electric shock, do not connect safety extra low voltage (SELV) circuits to telecommunication station network (TNV) circuits. LAN ports contain SELV circuit, and WAN ports contain TNV circuits. Always disconnect both ends of the cables from the equipment before disconnecting cables. This product is rated 48V, 0.38A. When used with the optional external power supply (PSC18U-48, FSP02S-DINANS, or similar rated PSU), the power supply shall be a Listed power supply with a LPS output, rated 48V, min. 0.38A.

The product software is the current major version or the next preceding major version (software revisions are labeled as "x.y.z", with the first two digits designating major versions).

The product software comes with 90-day software warranty, providing for software updates (minor releases/bug fixes). To continue to receive support, purchasing a maintenance contract is the most economical solution.

Requests for software support should be made through the Polycym Reseller from whom the product was purchased.

LIMITATION OF LIABILITY. TO THE FULL EXTENT ALLOWED BY LAW, POLYCYM EXCLUDES FOR ITSELF AND ITS SUPPLIERS ANY LIABILITY, WHETHER BASED IN CONTRACT OR TORT (INCLUDING NEGLIGENCE), FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES OF ANY KIND, OR FOR LOSS OF REVENUE OR PROFITS, LOSS OF BUSINESS, LOSS OF INFORMATION OR DATA, OR OTHER FINANCIAL LOSS ARISING OUT OF OR IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE, USE, PERFORMANCE, FAILURE, OR INTERRUPTION OF ITS PRODUCTS, EVEN IF POLYCYM OR ITS AUTHORIZED RESELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, AND LIMITS ITS LIABILITY TO REPAIR, REPLACEMENT, OR REFUND OF THE PURCHASE PRICE PAID AT POLYCYM'S OPTION. THIS DISCLAIMER OF LIABILITY FOR DAMAGES WILL NOT BE AFFECTED IF ANY REMEDY PROVIDED HEREIN SHALL FAIL OF ITS ESSENTIAL PURPOSE.

DISCLAIMER. Some countries, states, or provinces do not allow the exclusion or limitation of implied warranties or the limitation of incidental or consequential damages for certain products supplied to consumers, or the limitation of liability for personal injury, so the above limitations and exclusions may be limited in their application to you. When the implied warranties are not allowed to be excluded in their entirety, they will be limited to the duration of the applicable written warranty. This warranty gives you specific legal rights. You may also have other rights that apply to you under local law.

GOVERNING LAW. This Limited Warranty and Limitation of Liability shall be governed by the laws of the State of California, U.S.A., and by the laws of the United States, excluding their conflicts of laws principles. The United Nations Convention on Contracts for the International Sale of Goods is hereby excluded in its entirety from application to this Limited Warranty and Limitation of Liability. All rights reserved under International and Pan-American Copyright Conventions. No part of the contents of this manual may be copied, reproduced, or transmitted in any form or by any means, or translated into another language or format, in whole or part, without written consent from Polycym, Inc. Do not remove (or allow anybody else to remove) any product identification, copyright or other notices. Polycym, the Polycym logo design and Polycym VVX 500/501 and Polycym VVX 600/601 are trademarks of Polycym, Inc. in the U.S. and various other countries.

COPYRIGHT. All rights reserved under International and Pan-American Copyright Conventions. No part of the contents of this manual may be copied, reproduced, or transmitted in any form or by any means, or translated into another language or format, in whole or part, without written consent of Polycym, Inc. Polycym[®] and the logo design are registered trademarks and Polycym VVX 500/501 and Polycym VVX 600/601 are trademarks of Polycym, Inc. in the United States, and various countries. Do not remove (or allow a third party to remove) any product identification, copyright or other notices.

Slo Polycym (UK) Ltd deklaruje, da ta Polycym VVX 500/501/600/601 atinja esencijne zahtevne in ostale relevantne dodatne zahtevne pogoje Direktive 1999/5/ES.

Hierby vskázal Polycym (UK) Ltd, že toto zařízení Polycym VVX 500/501/600/601 v overeenstemění s met de essentiële eisen en de andere relevante bepalingen van richtlijn 1999/5/EG.

Hanvækk Polycym (UK) Ltd, jidkijdrer i den Polycym VVX 500/501/600/601 jikkon-forma mat-tiġgħiet essenzjali u ta provvedimenti oġriji rilevanti minn idro-Direttiva 1999/5/EG.

Aulude, Polycym (UK) Ltd erklærer hermed, at følgende udstyr Polycym VVX 500/501/600/601 overholder de væsentlige krav og øvrige relevante krav i direktiv 1999/5/EF.

Niejazymy Polycym (UK) Ltd oświadczac, że Polycym VVX 500/501/600/601 jest zgodne z zasadniczymi wymaganiami i wszelkimi dodatkowymi postanowieniami Dyrektywy 1999/5/CE.

Polycym (UK) Ltd izjavlja, da ta Polycym VVX 500/501/600/601 izpolnjuje bistvene zahtevne in ostali relevantni dodatni zahtevni pogoji Direktive 1999/5/ES.

Polycym (UK) Ltd izjavlja, da je ta Polycym VVX 500/501/600/601 v skladu z bistvenimi zahtevami in ostalimi relevantnimi dodatnimi zahtevami Direktive 1999/5/ES.

Polycym (UK) Ltd izjavlja, da ta Polycym VVX 500/501/600/601 izpolnjuje bistvene zahtevne in ostali relevantni dodatni zahtevni pogoji Direktive 1999/5/ES.

Polycym (UK) Ltd izjavlja, da ta Polycym VVX 500/501/600/601 izpolnjuje bistvene zahtevne in ostali relevantni dodatni zahtevni pogoji Direktive 1999/5/ES.

Hereby, Polycym (UK) Ltd, declares that this VVX 500/501/600/601 is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

Afin d'éviter les chocs électriques, ne pas connecter de circuits de tension extra-basse de sécurité (SELV) à des circuits de réseau de stations de télécommunication (TNV). Les ports LAN contiennent un circuit SELV et les ports WAN contiennent des circuits TNV. Certains ports LAN et WAN utilisent tous deux des connecteurs RJ-45. Faites preuve de prudence lors de la connexion des câbles. Ce produit a les caractéristiques suivantes : 48 Vdc, 0,38 A. Lorsqu'il est utilisé avec le bloc d'alimentation externe facultatif, (PSC 18U-48, FSP2S-DINANS, ou une alimentation semblable), l'alimentation électrique doit être répertoriée et munie d'une sortie LPS, possédant les caractéristiques suivantes : 48 V, 0,38 A min.

In addition, all PoE sources must meet the Limited Power Source requirements of IEC 60950-1:2005 (2nd Edition); Am1:2009 or IEC 60950-1:2005 (2nd Edition); Am2:2009; Am2:2013. En outre, toutes les sources PoE doivent satisfaire aux exigences de source d'alimentation limitée de la IEC 60950-1:2005 (2ème édition); Am1:2009 ou IEC 60950-1:2005 (2ème édition); Am2:2009; Am2:2013.

Hearing Aid Compatibility (HAC): This device is hearing aid compatible. Australia Warning: This equipment will be inoperative when mains power fails. Japan:

この機器は、クラスB電磁発射機です。この機器は、電磁発射機「使用するときと自然に起る電磁波」の放射が「デジタルテレビジョン受信機」に干渉を及ぼさないことを保証する目的で設計されています。電磁発射機「使用するときと自然に起る電磁波」の放射が「デジタルテレビジョン受信機」に干渉を及ぼさないことを保証する目的で設計されています。VCCI-B



Applies to VVX 600/601 only: Radiation Exposure Statement: The antenna used for this transmitter must be installed to provide a separation distance of at least 20 centimeters from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. This portable device with its antenna complies with FCC's RF radiation exposure limits set forth for an uncontrolled environment. To maintain compliance, this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. FCC registration number: M72-VX600 and M72-VX601.

Applies to VVX 600/601 only: 警告事項: 電磁波発射機は、電磁波発射機「使用するときと自然に起る電磁波」の放射が「デジタルテレビジョン受信機」に干渉を及ぼさないことを保証する目的で設計されています。電磁波発射機「使用するときと自然に起る電磁波」の放射が「デジタルテレビジョン受信機」に干渉を及ぼさないことを保証する目的で設計されています。VCCI-B